


TL
SS
SB
SC
DW
DR
MB
SD
SH
BN
TR




TL WALL TILE

A FLAT PANEL TILE THAT CAN BE FINISHED WITH METAL COATINGS OR BE LAMINATED WITH ANY NUMBER OF UTILITY SURFACES.

PARAMETER	A	B	C	D	E	F	
	32	1.0	08	.75	3.0	1.0	125 TYPES
	36	1.5	09				
	42	2.0	10				
	48	2.5	11				
		3.0	12				

TL
SS
SB
SC
DW
DR
MB
SD
SH
BN
TR




SS

SIMPLE

THE SIMPLEST OF THE DESIGNS, MINIMAL WASTE IN FABRICATION DELIVERS A SUPER EFFICIENT STRUCTURE WITH MOUNTING AND “BOOK ENDING” IN ONE UPTURNED FLANGE.

PARAMETER	A	B	C	D	E	F	
	32	8	2	.75	.75	1	2000 TYPES
	36	9	3	1.0	1.0		
	42	10	4	1.2	1.2		
	48	11	5	1.5	1.5		
		12	6				


TL
SS
SB
SC
DW
DR
MB
SD
SH
BN
TR



SB SHELF W/ BACK

SIMILAR TO THE SS BUT WITH AN UPTURNED BACK TO
ACT AS A SCREEN EITHER TO THE WALL BEHIND OR AS A
DIVIDING PARTITION

PARAMETER	A	B	C	D	E	F	
	32	8	2	.75	.75	1	2000 TYPES
	36	9	3	1.0	1.0		
	42	10	4	1.2	1.2		
	48	11	5	1.5	1.5		
		12	6				




SC COUNTERTOP

THE REVERSE OF SS AND SB, WITH SIDE FLANGES TURNED DOWNWARDS TO MAKE A BOX IN COMBINATION WITH THESE UNITS OR AS A COUNTER TOP ON ITS OWN

PARAMETER	A	B	C	D	E	F	
	32	8	4	.75	.75	1	2000 TYPES
	36	9	5	1.0	1.0		
	42	10	6	1.2	1.2		
	48	11	7	1.5	1.5		
		12	8				

TL
SS
SB
SC
DW
DR
MB
SD
SH
BN
TR




DW

DRAWER

USED IN COMBINATION WITH SC DRAWER GLIDES MOUNT TO THE SIDE FLANGES TO MAKE CONCEALED DRAWER STORAGE THAT CAN ALSO BE LOCKABLE

PARAMETER	A	B	C	D	E	F	
	32	8	4	.75	.75	2	2000 TYPES
	36	9	5	1.0	1.0		
	42	10	6	1.2	1.2		
	48	11	7	1.5	1.5		
		12	8				

TL
SS
SB
SC
DW
DR
MB
SD
SH
BN
TR




DR

DOOR

USED IN COMBINATION WITH SC AND SB IT CREATES AN
AWNING FUNCTION CABINET FOR CONCEALED STORAGE
WHICH CAN ALSO BE LOCKABLE

PARAMETER	A	B	C	D	E	F	1200 TYPES
	32	.75	4	.75	1	08	
	36	1.0	5	1.0		10	
	42	1.2	6	1.2		12	
	48	1.5	7	1.5			
			8				

TL
SS
SB
SC
DW
DR
MB
SD
SH
BN
TR




MB

MARKER BOARD

THE REVERSE OF SS AND SB, WITH SIDE FLANGES TURNED DOWNWARDS TO MAKE A BOX IN COMBINATION WITH THESE UNITS OR AS A COUNTER TOP ON ITS OWN

PARAMETER	A	B	C	D	E	F	
	32	1	10	.75	.75	1	1920 TYPES
	36	2	12	1.0	1.0		
	42	3	14	1.2	1.2		
	48	4	16	1.5	1.5		
			18				
			20				

TL
SS
SB
SC
DW
DR
MB
SD
SH
BN
TR




SD DISPLAY

FOR VERTICAL DISPLAY OF PRINT LITERATURE, THE TOP AND
BOTTOM FLANGES ARE DESIGNED TO FORM A CONTINUOUS
VERTICAL SERIES

PARAMETER	A	B	C	D	E	F	
	32	4	6	1	.75	5	2000 TYPES
	36	6	8		1.0	10	
	42	8	10		1.2	15	
	48	10	12		1.5	20	
		12	14			25	


TL
SS
SB
SC
DW
DR
MB
SD
SH
BN
TR



SH DISPLAY HORIZONTAL
FOR HORIZONTAL DISPLAY OF PRINT LITERATURE

PARAMETER	A	B	C	D	E	F	
	32	4	3	.75	.75	5	2000 TYPES
	36	6		1.0	1.0	10	
	42	8		1.2	1.2	15	
	48	10		1.5	1.5	20	
		12				25	

TL
SS
SB
SC
DW
DR
MB
SD
SH
BN
TR




BN

BIN

CONTAINMENT ON ALL FOUR SIDES

PARAMETER	A	B	C	D	E	F	2000 TYPES
32	4	3		1	.75	1	
36	6	5			1.0	2	
42	8	7			1.2	3	
48	10	9			1.5	4	
	12					5	

- TL
- SS
- SB
- SC
- DW
- DR
- MB
- SD
- SH
- BN
- TR



TR

TRACK

THE REVERSE OF SS AND SB, WITH SIDE FLANGES TURNED DOWNWARDS TO MAKE A BOX IN COMBINATION WITH THESE UNITS OR AS A COUNTER TOP ON ITS OWN

PARAMETER	A	B	C	D	E	F	
	32	2	2	2.0	2.0		625 TYPES
	36	3		2.5	2.5		
	42	4		3.0	3.0		
	48	5		3.5	3.5		
		6		4.0	4.0		